

Compact

ELECTRIC
LITHIUM



Snow tank volume

1.7 m³ / compacted 2.1 m³
(60 ft³ / compacted 74.2 ft³)



Water tank volume

600 l (158.5 gal)



Blade width

1,700 mm (66 7/8 in)




Fields of operation

Mobile / Event

ELECTRIC / LITHIUM



DIMENSIONS



FACTS & FIGURES

Motor	Asynchronous motor
Drive power	15 kW
AC motor controller	AC Curtis
Idle revolutions	900 rpm
Drive revolutions	1,900 rpm
Transmission	continuously adjustable hydraulic four-wheel drive
Speed	0 - 12 km/h (0 - 7.5 mph)
Snow tank	1.7 m ³ (60 ft ³) – compacted 2.1 m ³ (74.2 ft ³)
Water tank	600 l (158.5 gal) stainless steel
Tyres	175 / 70 R 14C 2 rows of spikes

STANDARD EQUIPMENT

Snow breaker
Hydraulically driven and swivelling side brush
Parking brake
Board guide pulley
Side mirror, rear
Side headlight
Flashing warning light
Audible signal for reverse drive
Maintenance-free asynchronous motor
Indicators on the drivers station: water tank level, battery state of charge, current consumption, status motor controller
Coated snow bin
PLC control
Spring-suspended driver's seat
Easily accessible engine compartment (tiltable bonnet)
2 blades
2 wiping cloths
Scope of delivery set



Snow tank volume

1.7 m³ / compacted 2.1 m³
(60 ft³ / compacted 74.2 ft³)



Water tank volume

600 l (158.5 gal)



Blade width

1,700 mm (66 7/8 in)



Fields of operation

Mobile / Event



www.wm-on-ice.com
Italy

WM ice technics relies on the following distribution partners in North America:



Autoworq
Montreal (Québec)
Phone 1-866-973-1333
www.autoworq.com



LSK Enterprises
Virginia Beach (VA)
Phone 1-757-366-0166
www.lskenterprises.com



Outdooricerinks.com
Strongsville (OH)
Phone 1-440-628-7979
www.outdooricerinks.com



Mobile / Event

Pro / Heavy duty



Compact



evo