

# Compact

ELECTRIC  
LITHIUM



**Snow tank volume**

1.7 m<sup>3</sup> / compacted 2.1 m<sup>3</sup>  
(60 ft<sup>3</sup> / compacted 74.2 ft<sup>3</sup>)



**Water tank volume**

600 l (158.5 gal)



**Blade width**

1,700 mm (66 7/8 in)




**Fields of operation**

Mobile / Event

## ELECTRIC / LITHIUM



## DIMENSIONS



## FACTS & FIGURES

Motor	Asynchronous motor
Drive power	15 kW
AC motor controller	AC Curtis
Idle revolutions	900 rpm
Drive revolutions	1,900 rpm
Transmission	continuously adjustable hydraulic four-wheel drive
Speed	0 - 12 km/h (0 - 7.5 mph)
Snow tank	1.7 m <sup>3</sup> (60 ft <sup>3</sup> ) – compacted 2.1 m <sup>3</sup> (74.2 ft <sup>3</sup> )
Water tank	600 l (158.5 gal) stainless steel
Tyres	175 / 70 R 14C 2 rows of spikes

## STANDARD EQUIPMENT

Snow breaker
Hydraulically driven and swivelling side brush
Parking brake
Board guide pulley
Side mirror, rear
Side headlight
Flashing warning light
Audible signal for reverse drive
Maintenance-free asynchronous motor
Indicators on the drivers station: water tank level, battery state of charge, current consumption, status motor controller
Coated snow bin
PLC control
Spring-suspended driver's seat
Easily accessible engine compartment (tiltable bonnet)
2 blades
2 towels
Scope of delivery set



### Snow tank volume

1.7 m<sup>3</sup> / compacted 2.1 m<sup>3</sup>  
(60 ft<sup>3</sup> / compacted 74.2 ft<sup>3</sup>)



### Water tank volume

600 l (158.5 gal)



### Blade width

1,700 mm (66 7/8 in)



### Fields of operation

Mobile / Event



www.wm-on-ice.com  
Italy

WM ice technics relies on the following distribution partners in North America:



**Autoworq**  
Montreal (Québec)  
Phone 1-866-973-1333  
www.autoworq.com



**LSK Enterprises**  
Virginia Beach (VA)  
Phone 1-757-366-0166  
www.lskenterprises.com



**Outdooricerinks.com**  
Strongsville (OH)  
Phone 1-440-628-7979  
www.outdooricerinks.com



Mobile / Event



Pro / Heavy duty



**Compact**



**evo**