



BORN ELECTRIC  
LITHIUM



#### Snow tank volume

3 m<sup>3</sup> / compacted 3.6 m<sup>3</sup>  
(106 ft<sup>3</sup> / compacted 130.7 ft<sup>3</sup>)



#### Water tank volume

1,000 l (264 gal)  
1,350 l (356.6 gal)  
1,800 l (475.5 gal)

+ Snow tank-water tank connection  
>2,000 l (528 gal)



#### Blade width

2,100 mm (82 5/8 in)  
or 2,300 mm (90 1/2 in)



#### Fields of operations

Pro / Heavy duty

## ELECTRIC / LITHIUM



## FACTS & FIGURES

<b>Motor</b>	5 asynchronous motors
<b>Power rating</b>	29 kW
<b>Water tank</b>	1,000 l (264 gal) optional 1,350 l (356.6 gal) / 1,800 l (475.5 gal)
<b>Snow tank</b>	3 m <sup>3</sup> (106 ft <sup>3</sup> ) – compacted 3.6 m <sup>3</sup> (130.7 ft <sup>3</sup> )
<b>Transmission</b>	Continuously adjustable electric four-wheel drive
<b>Hydraulic oil tank</b>	50 l (13.2 gal)
<b>Speed</b>	0 - 13 km/h (0 - 8 mph)
<b>Tyres</b>	225 / 75 / R16 C - 6 rows of spikes
<b>Wheel rims</b>	9" x 16"

## DIMENSIONS



## STANDARD EQUIPMENT

PLC control

---

5.7 inch colour display

---

Button for automatic modus: operations start automatically in a fixed order

---

Function for automatic water filling system with immobilizer (Acquastop valve as optional)

---

Acoustic signal for reverse drive, snow bin cover operation and reverse of the screw conveyors

---

Spring-suspended and height-adjustable driver's seat with armrests

---

Spring suspended passenger seat

---

Easily accessible engine compartment (tiltable) with cap support

---

Maintenance-free asynchronous motors

---

Continuously adjustable electric four-wheel drive

---

Water tank made of PE

---

Coated snow bin

---

Snow bin & water tank connection

---

> 2,000 litres (> 528 gal)

---

Hydraulic negative parking brake

---

Hydraulically driven and swivelling side brush

---

Board guide pulley

---

Side mirror, rear

---

Snow bin headlight, side headlight

---

Flashing warning light

---

System for water dosing in curves

---

Constant grinding pressure planing system

---

2 blades

---

2 wiping clothes

---

Scope of delivery set

---



In compliance with Suva-type examination certificate  
Nr. E 7224.e



### Snow tank volume

**3 m<sup>3</sup> / compacted 3.6 m<sup>3</sup>**  
(106 ft<sup>3</sup> / compacted 130.7 ft<sup>3</sup>)



### Water tank volume

**1,000 l (264 gal)**  
**1,350 l (356.6 gal)**  
**1,800 l (475.5 gal)**



### Blade width

**2,100 mm (82 5/8 in)**  
**or 2,300 mm (90 1/2 in)**



### Fields of operations

**Pro / Heavy duty**



www.wm-on-ice.com  
Italy

WM ice technics relies on the following distribution partners in North America:



**Autoworq**  
Montreal (Québec)  
Phone 1-866-973-1333  
www.autoworq.com



**LSK Enterprises**  
Virginia Beach (VA)  
Phone 1-757-366-0166  
www.lskenterprises.com



**Outdooricerinks.com**  
Strongsville (OH)  
Phone 1-440-628-7979  
www.outdooricerinks.com



Mobile / Event

Pro / Heavy duty



**Compact**



**evo**