







Snow tank volume

**3 m³ / compacted 3.6 m³** (106 ft³ / compacted 130.7 ft³)



Water tank volume

**1,000 l** (264 gal) **1,350 l** (356.6 gal) **1,800 l** (475.5 gal)

+ Snow tank-water tank connection >2,000 I (528 gal)



Blade width

**2,100 mm** (82 5/8 in) **or 2,300 mm** (90 1/2 in)



Fields of operations

Pro / Heavy duty

# ELECTRIC / LITHIUM

# FACTS & FIGURES



Motor	5 asynchronous motors
Power rating	29 kW
Water tank	1,000 I (264 gal)
	optional 1,350 I (356.6 gal) /
	<b>1,800</b> I (475.5 gal)
Snow tank	3 m³ (106 ft³) –
	compacted 3.6 m³ (130.7 ft³)
Transmission	Continuously adjustable
	electric four-wheel drive
Hydraulic oil tank	<b>50 I</b> (13.2 gal)
Speed	0 - 13 km/h (0 - 8 mph)
Tyres	225 / 75 / R16 C - 6 rows of spikes
Wheel rims	9" x 16"

# 2.520 mm (39 1/4 in) 2.330 mm (3 1/4 in) 2.420 mm - Blade width 2.00 mm 2.420 mm - Blade width 2.00 mm 3.51 mm (30 1/2 in) 4.335 mm (30 1/2 in) 1.786 mm (69 1/2 in)

# STANDARD EQUIPMENT

### PLC control

High-resolution 7" touchscreen

Button for automatic modus: operations start

automatically in a fixed order

Function for automatic water filling system

with immobilizer (Acquastop valve as optional)

Acoustic signal for reverse drive, snow bin

cover operation and reverse of the screw conveyors

Spring-suspended and height-adjustable

driver's seat with armrests

Spring suspended passenger seat

Easily accessible engine compartment (tiltable)

with cap support

Maintenance-free asynchronous motors

Continuously adjustable electric four-wheel drive

Water tank made of PE

Coated snow bin

Snow bin & water tank connection

> 2,000 litres (> 528 gal)

Hydraulic negative parking brake

Hydraulically driven and swivelling side brush

Board guide pulley

Side mirror, rear

Snow bin headlight, side headlight

Flashing warning light

System for water dosing in curves

Constant grinding pressure planing system

2 blades

2 towels

Scope of delivery set









In compliance with Suva-type examination certificate
Nr. E 7224.e



Snow tank volume

3 m³ / compacted 3.6 m³ (106 ft³ / compacted 130.7 ft³)



Water tank volume

1,000 I (264 gal) 1,350 I (356.6 gal) 1,800 I (475.5 gal)



Blade width

**2,100 mm** (82 5/8 in) **or 2,300 mm** (90 1/2 in)



Fields of operations

Pro / Heavy duty



# www.wm-on-ice.com Italy

WM ice technics relies on the following distribution partners in North America:



# **Autoworq**

Montreal (Québec) Phone 1-866-973-1333 www.autoworq.com



# **LSK Enterprises**

Virginia Beach (VA) Phone 1-757-366-0166 www.lskenterprises.com



# Outdooricerinks.com

Strongsville (OH) Phone 1-440-628-7979 www.outdooricerinks.com





Mobile / Event

Pro / Heavy duty



Compact





